



using playback length to differentiating file vers

Search

Advanced Scholar Search

Scholar

Articles and patents

anytime

include citations

Create email alert

Results 1 - 10 of about 6,930 (0.10 sec)

Search file indicating languages associated with scenes

P Wu, U Gargi, P Obrador... - US Patent App. ..., 2005 - freepatentsonline.com
... Search module 226 retrieves a search **file** 224 via VFS module 202 from disc 102 , local storage 128 , or internal memory 132 If the list is too long to fit on a screen, the player may allow the user to scroll through the list. ... Attributes are specified **using** an equals sign. ...

[Cached](#)

Search file indicating languages associated with scenes

P Wu, U Gargi, P Obrador, PM Walker... - US Patent App. 11/ ..., 2005 - Google Patents
... Search module 226 retrieves a search **file** 224 via VFS module 202 from disc 102, local storage 128, or internal memory 132. ... If the list is too long to fit on a screen, the player may allow the user to scroll through the list. ... Attributes are specified **using** an equals sign. ...

SYSTEM FOR SELECTING A MEDIA FILE FOR PLAYBACK FROM MULTIPLE FILES HAVING SUBSTANTIALLY SIMILAR MEDIA CONTENT

D Cardamore - US Patent App. 11/947,386, 2007 - Google Patents
... for a requested **file** name, **file** type, genre, artist, etc., directly from the devices 220 through the IO ... Alternatively, or in addition, the media **file** information may be obtained **using** metadata from media **file** ... to display media files to a user or other- wise arrange for **playback** of the ...

Multimedia Extension of Medical Imaging Resource Center Teaching Files1

[\[HTML\] from rsna.com](#)

GL Yang, A Aziz, B Narayanaswami... - ..., 2005 - radiographics.rsna.com
... components if it is to be adequately captured and conveyed digitally through a multimedia ... didactically with visual keys (arrows), outlines, and annotations (text labels) by **using** the teaching ... as a multimedia teaching **file** that is small enough to be transferred quickly via the Web. ...

[Cited by 11](#) - [Related articles](#) - [BL Direct](#) - [All 6 versions](#)

[PS] A proportional queue control mechanism to provide differentiated services

[\[PS\] from euronetlab.net](#)

Y Moret... - Proceedings of the International Symposium on ... - euronetlab.net
... Thus, the classical best effort and PQCM statistics for the jitter are similar: the **playback** buffer **length** ... because the input rate is larger than the network capacity and the buffer **length** of the DE ... to avoid the applications to signal directly their needs to the network through a signaling ...

[Cited by 58](#) - [Related articles](#) - [View as HTML](#) - [All 11 versions](#)

Mbuild-multimedia data builder with box and glue

R Hamakawa, H Sakagami... - ... Computing and Systems, ..., 1994 - [ieeexplore.ieee.org](#)
... 9 shows an example of an MINF **file**, which can be converted to an AV **file** playable through a filter ... Let us next consider how to use Mbuild to create and edit composite multimedia data which meet the conditions shown in Fig ... **Playback** by **using** AV class library / Xavier # loadsave ...

[Cited by 7](#) - [Related articles](#)

Scalable streaming for heterogeneous clients

[\[PDF\] from psu.edu](#)

L Shi, P Sessini, A Mahanti, Z Li... - Proceedings of the 14th ..., 2006 - [portal.acm.org](#)
... Substantial client heterogeneity is assumed to be handled **using** layered media and a scheme whereby clients ... segments, with a contiguous group of these seg- ments being transmitted at **playback** rate (ie ... channel offset by L/2 time units (where L is the media **length**) with respect ...

[Cited by 25](#) - [Related articles](#) - [All 15 versions](#)

Object composition and **playback** models for handling multimedia data

R Hamakawa... - Proceedings of the first ACM ..., 1993 - [portal.acm.org](#)
... users to be able to create their own multimedia data, as opposed to **using** data provided ... In the description which follows, we present object com- position and object **playback** models, and discuss ... Fig.3). The complete layout of composite objects, such as the time **length** of each ...

[Cited by 63](#) - [Related articles](#) - [All 2 versions](#)

Method of securing the **playback** of a DVD-ROM **via** triggering data sent **via** a cable network

KG Mages... - US Patent 6,438,232, 2002 - [Google Patents](#)
... ROM system, whereby the enabling data pro- vided to the DVD-player allowing the **playback** of the ... the Internet, this enabling data may be obtained from the Internet, or, alternatively, via a cable ... Instead of **using** a fourth parental code 4 for indicating the presence of a Hyper-DVD ...

[Cited by 5](#) - [Related articles](#) - [All 2 versions](#)

A **playback** schedule model for multimedia documents

A Karmouch... - Multimedia, IEEE, 1996 - [ieeexplore.ieee.org](#)
... These two structures, logical and layout, are joined through the associated content portions ... rules for creating and representing the logical structure of a document **using** a tree ... Scenarios are essential for multimedia document **playback** because they provide a means of integrating ...

[Cited by 26](#) - [Related articles](#) - [BL Direct](#) - [All 5 versions](#)

[Create email alert](#)

using playback length to differentiating file versions

Search

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google